

Toft H, Neupane SP, Bramness JG, Tilden T, Wampold BE, Lien L. The effect of trauma and alcohol on the relationship between level of cytokines and depression among patients entering psychiatric treatment. *BMC Psychiatry*. 2018;18(1):95.

Toft H, Bramness JG, Lien L, Abebe DS, Wampold BE, Tilden T, et al. PTSD patients show increasing cytokine levels during treatment despite reduced psychological distress. *Neuropsychiatr Dis Treat*. 2018;14:2367-78.

Toft H, Lien L, Neupane SP, Abebe DS, Tilden T, Wampold BE, et al. Cytokine concentrations are related to level of mental distress in inpatients not using anti-inflammatory drugs. *Acta Neuropsychiatr*. 2019:1-22.

Granerud A, Toft H. Opioid dependency rehabilitation with the opioid maintenance treatment programme - a qualitative study from the clients' perspective. *Substance Abuse Treatment, Prevention, and Policy*. 2015;10(1):35.

Steigen, A. M., Eriksson, B., Kogstad, R. E., Toft, H. P., & Bergh, D. (2018). Young Adults in Nature-Based Services in Norway—In-Group and Between-Group Variations Related to Mental Health Problems. *Nordic Journal of Social Research*, 9, 110-133. <https://doi.org/10.7577/njsr.2301>